





Type	Qty	Description
A	12	Can. 2.3L / 1 exit 40ml pump Tube Ø16x42.3 (1810574)
B	4	Can. 4.6L / 1 exit 40ml pump Tube Ø16x143 (1812277)

681601X — P = plastic canister

12 x 2.3L/40ml, 4 x 4.6L/40ml, turntable 3 (24 slots)


ALL DIM'S ACC. TO NEN-ISO 2768 M UNLESS OTHERWISE SPECIFIED				CONFIDENTIAL PROPRIETARY MATERIAL : All design, reproduction, manufacturing, use & sales rights of times shown here on or of articles fabricated therefrom are expressly reserved by FLUID MANAGEMENT.		DRAWING ACCORDING TO NEN-ISO 1101 NEN-ISO 406 NEN 3634		PROJECTION 					
0,5-6 ±0,1 6-30 ±0,2 30-120 ±0,3		120-400 ±0,5 400-1000 ±0,8 1000-2000 ±1,2		SHORTEST SIDE < 10 ±1° 10-50 ±30' > 400 ±5°		50-120 ±20° 120-400 ±10° > 400 ±5°		Size: A3		Unit : HA180		Date : 30-01-2009	
 FAST & FLUID THE TINTING COMPANY				FAST & FLUID MANAGEMENT THE NETHERLANDS A Unit of IDEX Corporation P.O. box 220 2170AE Sassenheim Hub van Doorneweg 31 2171KZ Sassenheim Telephone + 31 (0)252 240 800 Fax +31(0)252 240 880 www.fast-fluid.com				Project :		Drawn: PC		Assembly partno:	
								Dim. :		Material:			
								Name: Turntable configuration 681601					




Type	Qty	Description
A	14	Can. 2.3L / 1 exit 40ml pump Tube Ø16x42.3 (1810574)
B	4	Can. 4.6L / 1 exit 40ml pump Tube Ø16x143 (1812277)

681801X — P = plastic canister

14 x 2.3L/40ml, 4 x 4.6L/40ml, turntable 3 (24 slots)

ALL DIM'S ACC. TO NEN-ISO 2768 M UNLESS OTHERWISE SPECIFIED				CONFIDENTIAL PROPRIETARY MATERIAL : All design, reproduction, manufacturing, use & sales rights of Items shown here on or of articles fabricated therefrom are expressly reserved by FLUID MANAGEMENT.		DRAWING ACCORDING TO NENISO 1101 NENISO 406 NEN 3634		PROJECTION 	
0,5-6 ±0,1 6-30 ±0,2 30-120 ±0,3		120-400 ±0,5 400-1000 ±0,8 1000-2000 ±1,2		SHORTEST SIDE < 10 ±1° 10-50 ±30' > 400 ±5'		50-120 ±20° 120-400 ±10° > 400 ±5'			
				Size: A3		Unit : HA180		Date : 03-09-2019	
				Project :		Drawn: RD		Assembly partno:	
				Dim. :		Material:			
 THE TINTING COMPANY				FAST & FLUID MANAGEMENT THE NETHERLANDS A Unit of IDEX Corporation P.O. box 220 2170AE Sassenheim Hub van Doorneweg 31 2171KZ Sassenheim Telephone + 31 (0)252 240 800 Fax +31(0)252 240 880 www.fast-fluid.com					
Name: Turntable configuration 681801						Partnr: 681801			

REV	DESCRIPTION	BY	DATE
-----	-------------	----	------



Type	Qty	Description
A	16	40ml pump Can. 2.3L / 1 exit Tube Ø16x42.3 (1810574)
B	4	40ml pump Can. 4.6L / 1 exit Tube Ø16x143 (1812277)

682001 X — P = plastic canister

- 16 x 2.3L/40ml, 4 x 4.6L/40ml, turntable 3 (24 slots)

ALL DIM'S ACC. TO NEN-ISO 2768 M UNLESS OTHERWISE SPECIFIED		CONFIDENTIAL PROPRIETARY MATERIAL : All design, reproduction, manufacturing, use & sales rights of items shown here on or of articles fabricated therefrom are expressly reserved by FLUID MANAGEMENT.		DRAWING ACCORDING TO NEN450 1101 NENISO 406 NEN 3634	PROJECTION 
0,5-6 ±0,1 6-30 ±0,2 30-120 ±0,3	120-400 ±0,5 400-1000 ±0,8 1000-2000 ±1,2	SHORTEST SIDE < 10 ±1° 10-50 ±30'	50-120 ±20° 120-400 ±10° > 400 ±5°		
		Size: A3	Unit : HA180	Date : 30-01-2019	
		Project :	Drawn: PC	Assembly partno:	
		Dim. :	Material:		
		Name: Turntable configuration 682001			Partnr: 682001




FAST & FLUID

THE TINTING COMPANY

FAST & FLUID MANAGEMENT


THE NETHERLANDS


A Unit of IDEX Corporation
 P.O. box 220 | 2170AE Sassenheim
 Hub van Doorneweg 31 | 2171KZ Sassenheim
 Telephone + 31 (0)252 240 800
 Fax +31(0)252 240 880 | www.fast-fluid.com



682002 X — P = plastic canister

- 20 x 2.3L/40ml, turntable 3 (24 slots)

ALL DIM'S ACC. TO NEN-ISO 2768 M UNLESS OTHERWISE SPECIFIED		CONFIDENTIAL PROPRIETARY MATERIAL : All design, reproduction, manufacturing, use & sales rights of items shown here on or of articles fabricated therefrom are expressly reserved by FLUID MANAGEMENT.		DRAWING ACCORDING TO NEN-ISO 1101 NEN-ISO 406 NEN 3634	PROJECTION 
0,5-6 ±0,1 6-30 ±0,2 30-120 ±0,3	120-400 ±0,5 400-1000 ±0,8 1000-2000 ±1,2	SHORTEST SIDE < 10 ±1° 10-50 ±30' > 400 ±5°	50-120 ±20° 120-400 ±10° > 400 ±5°	Size: A3	Unit : HA180
		FAST & FLUID MANAGEMENT THE NETHERLANDS A Unit of IDEX Corporation P.O. box 220 2170AE Sassenheim Hub van Doorneweg 31 2171KZ Sassenheim Telephone + 31 (0)252 240 800 Fax +31(0)252 240 880 www.fast-fluid.com		Project :	Drawn : RD
		THE TINTING COMPANY		Dim. :	Material:
				Name: Turntable configuration 682002	Partnr: 682002



Type	Qty	Description
A	16	40ml pump Can. 2.3L / 1 exit Tube Ø16x42.3 (1810574)
B	4	40ml pump Can. 2.3L / 1 exit Tube Ø16x143 (1812277)
C	2	40ml pump Can. 2.3L / 1 exit Tube Ø16x160 (1812275)


682201X — P = plastic canister

22 x 2.3L/40ml, turntable 3 (24 slots)

ALL DIM'S ACC. TO NEN-ISO 2768 M UNLESS OTHERWISE SPECIFIED				CONFIDENTIAL PROPRIETARY MATERIAL : All design, reproduction, manufacturing, use & sales rights of Items shown here on or of articles fabricated therefrom are expressly reserved by FLUID MANAGEMENT.		DRAWING ACCORDING TO NEN-ISO 1101 NEN-ISO 406 NEN 3634	PROJECTION 
0,5-6 ±0,1 6-30 ±0,2 30-120 ±0,3	120-400 ±0,5 400-1000 ±0,8 1000-2000 ±1,2	SHORTEST SIDE < 10 ±1° 10-50 ±30'	50-120 ±20° 120-400 ±10° > 400 ±5'	Size: A3	Unit : HA180	Date : 23-09-2019	
 THE TINTING COMPANY		FAST & FLUID MANAGEMENT THE NETHERLANDS A Unit of IDEX Corporation P.O. box 220 2170AE Sassenheim Hub van Doorneweg 31 2171KZ Sassenheim Telephone +31 (0)252 240 800 Fax +31(0)252 240 880 www.fast-fluid.com		Project :	Drawn: RD	Assembly partno: Partnr: 682201	
				Dim. :	Material:		
				Name: Turntable configuration 682201			



FAST & FLUID MANAGEMENT
THE NETHERLANDS
A Unit of IDEX Corporation
P.O. box 220 | 2170AE Sassenheim
Hub van Doorneweg 31 | 2171KZ Sassenheim
Telephone + 31 (0)252 240 800
Fax +31(0)252 240 880 | www.fast-fluid.com



Type	Qty	Description
A	16	40ml pump Can. 2.3L / 1 exit Tube Ø16x42.3 (1810574)
B	8	40ml pump Can. 4.6L / 1 exit Tube Ø16x143 (1812277)


682401X — P = plastic canister

20 x 2.3L/40ml, 4 x 4.6L/40ml, turntable 3 (24 slots)

ALL DIM'S ACC. TO NEN-ISO 2768 M UNLESS OTHERWISE SPECIFIED				CONFIDENTIAL PROPRIETARY MATERIAL : All design, reproduction, manufacturing, use & sales rights of items shown here on or of articles fabricated therefrom are expressly reserved by FLUID MANAGEMENT.		DRAWING ACCORDING TO NEN-ISO 1101 NEN-ISO 406 NEN 3634		PROJECTION 	
0,5-6 ±0,1 6-30 ±0,2 30-120 ±0,3		120-400 ±0,5 400-1000 ±0,8 1000-2000 ±1,2		SHORTEST SIDE < 10 ±1' 10-50 ±30' > 400 ±5'		50-120 ±20' 120-400 ±10' > 400 ±5'		Size: A3 Unit : HA180 Date : 16-01-2015	
 FAST & FLUID THE TINTING COMPANY				FAST & FLUID MANAGEMENT THE NETHERLANDS A Unit of IDEX Corporation P.O. box 220 2170AE Sassenheim Hub van Doorneweg 31 2171KZ Sassenheim Telephone + 31 (0)252 240 800 Fax +31(0)252 240 880 www.fast-fluid.com					
				Project :		Drawn : PC		Assembly partno:	
				Dim. :		Material:		Name: Turntable configuration 682401 Partnr: 682401	




**FAST & FLUID MANAGEMENT
THE NETHERLANDS**
A Unit of IDEX Corporation
P.O. box 220 | 2170AE Sassenheim
Hub van Doorneweg 31 | 2171KZ Sassenheim
Telephone + 31 (0)252 240 800
Fax +31(0)252 240 880 | www.fast-fluid.com



Type	Qty	Description
A	16	Can. 2.3L / 1 exit 40ml pump Tube Ø16x42.3 (1810574)
B	4	Can. 2.3L / 1 exit 40ml pump Tube Ø16x143 (1812277)
C	4	Can. 2.3L / 1 exit 40ml pump Tube Ø16x160 (1812275)

682402[X] — P = plastic canister

24 x 2.3L/40ml, turntable 3 (24 slots)

ALL DIM'S ACC. TO NEN-ISO 2768 M UNLESS OTHERWISE SPECIFIED				CONFIDENTIAL PROPRIETARY MATERIAL : All design, reproduction, manufacturing, use & sales rights of items shown here on or of articles fabricated therefrom are expressly reserved by FLUID MANAGEMENT.		DRAWING ACCORDING TO NEN-ISO 1101 NEN-ISO 406 NEN 3634		PROJECTION 					
0,5-6 ±0,1 6-30 ±0,2 30-120 ±0,3		120-400 ±0,5 400-1000 ±0,8 1000-2000 ±1,2		SHORTEST SIDE < 10 ±1° 10-50 ±30' 50-120 ±20' 120-400 ±10' > 400 ±5'		Size: A3		Unit : HA180		Date : 03-09-2015			
 FAST & FLUID THE TINTING COMPANY				FAST & FLUID MANAGEMENT THE NETHERLANDS A Unit of IDEX Corporation P.O. box 220 2170AE Sassenheim Hub van Doorneweg 31 2171KZ Sassenheim Telephone + 31 (0)252 240 800 Fax +31(0)252 240 880 www.fast-fluid.com				Project :		Drawn : RD		Assembly partno:	
				Dim. :		Material:		Name: Turntable configuration 682402 Partnr: 682402					



FAST & FLUID MANAGEMENT
THE NETHERLANDS
 A Unit of IDEX Corporation
 P.O. box 220 | 2170AE Sassenheim
 Hub van Doorneweg 31 | 2171KZ Sassenheim
 Telephone +31 (0)252 240 800
 Fax +31(0)252 240 880 | www.fast-fluid.com